

FIG.1




FIG.2




FIG. 3




FIG. 4





FIG.5



1000 1000 1000 1000 1000 1000 1000



FIG.6A FIG.6B FIG.6C

FIG. 7




FIG. 8A




FIG. 8B






FIG.9A




FIG. 9B

FIG.10




FIG. 11




FIG.12A

Complementary Target




FIG.12B

Probes without Target



FIG.12C

Half Complementary Target




FIG.12D

Target - 6 bp




FIG.12E

One bp Mismatch




FIG.12F

Two bp Mismatch




FIG.13A




FIG. 13B




FIG.14A




FIG.14B




FIG15A

Probes with No Target




FIG15B

Half-Complementary Target




FIG15C

Complementary Target

Tm=53.5°C




FIG15D

ONE Base-Pair Mismatch at Probe Head

Tm=50.4°C




FIG15E

ONE Base-Pair Mismatch at Probe Tail

Tm=46.2°C




FIG15F

ONE Base Deletion

Tm=51.6°C




FIG15G

ONE Base-Pair Insertion

Tm=50.2°C




FIG. 16A 24 Base Template

5' TAC-GAG-TTG-AGA-ATC-CTG-AAT-GCG 3'
-S-ATG-CTC-AAC-TCT TAG-GAC-TTA-CGC-S -
1
2

FIG. 16B 48 Base Template with Complementary 24 Base Filler

5' TAC-GAG-TTG-AGA-CCG-TTA-AGA-CGA-GGC-AAT-CAT-GCA-ATC-CTG-AAT-GCG 3'
-S-ATG-CTC-AAC-TCT GGC-AAT-TCT-GCT-CCG-TTA-GTA-CGT TAG-GAC-TTA-CGC-S -
1
2

FIG. 16C 72 Base Template with Complementary 48 Base Filler

5' TAC-GAG-TTG-AGA-CCG-TTA-AGA-CGA-GGC-AAT-CAT-GCA-TAT-GGA-CGG-TTT-ACG-GAC-AAC-ATC-CTG-AAT-GCG 3'
-S-ATG-CTC-AAC-TCT GGC-AAT-TCT-GCT-CCG-TTA-GTA-CGT ATA-TAA-CCT-GCG-AAA-TGC-TTG TAG-GAC-TTA-CGC-S -
1
2

FIG. 17A




FIG. 17B




FIG. 17C




FIG. 17D




FIG. 17E




FIG.18




FIG. 19A




FIG. 19B




FIG.20A





FIG.20B







FIGURE 21

FIGURE 22



Anthrax PCR Product

5'G GCG GAT GAG TCA GTA GTT AAG GAG GCT CAT AGA GAA GTA ATT AAT
3' C CGC CTA CTC AGT CAT CAA TTC CTC CGA GTA TCT CTT CAT TAA TTA

TCG TCA ACA GAG GGA TTA TTG TTA AAT ATT GAT AAG GAT ATA AGA AAA
AGC AGT TGT CTC CCT AAT AAC AAT TTA TAA CTA TTC CTA TAT TCT TTT

ATA TTA TCC AGG GTT ATA TTG TAG AAA TTG AAG ATA CTG AAG GGC TT 3'
TAT AAT AGG TCC CAA TAT AAC ATC TTT AAC TTC TAT GAC TTC CCG AA 5'


141 mer Anthrax PCR product [SEQ ID NO:36]



Blocker Oligonucleotides



3' C CGC CTA CTC AGT CAT CAA TTC CTC CGA GT	[SEQ ID NO:39]
3' A TCT CTT CAT TAA TTA AGC AGT TGT	[SEQ ID NO:40]
3' TAT TCT TTT TAT AAT AGG TCC CAA TAT	[SEQ ID NO:41]
3' AAC ATC TTT AAC TTC TAT GAC TTC CCG AA	[SEQ ID NO:42]

FIGURE 23



Satellite Probe

Target



Detection Signal




FIGURE 24




FIGURE 25A







FIGURE 25B

A



B




FIGURE 26




FIGURE 21







FIGURE 28A




FIGURE 28B





FIG. 28C



+ $\frac{b' c'}{\text{TARGET}}$ + $d' d$






FIG. 29D

REMOVE EXCESS
BY CENTRIFUGATION






FIGURE 28E





Figure 29






Figure 30




Figure 31

[SEQ ID NO:56]

5' GGA TTA TTG TTA---AAT ATT GAT AAG GAT 3'

CCT ANT AAC AAT TTA TAA CTA TTC CTA

[SEQ ID NO:57]

[SEQ ID NO:58]

N = A (complementary),
G,C,T (mismatched)

The diagram illustrates a three-step process for the synthesis of silver nanoparticles (Ag(s)) using target DNA as a template.
 1. **target DNA**: A single-stranded DNA molecule is shown with a wavy line representing its structure.
 2. **Ag⁺ addition**: The DNA molecule is shown interacting with a silver ion (Ag⁺), represented by a dark circle with 'Ag' inside.
 3. **Reduction with hydroquinone**: The Ag⁺ is reduced to a silver nanoparticle (Ag(s)), represented by a large, textured circle with 'Ag' inside. The DNA template is shown binding to the nanoparticle.
 A final step shows the reduction of quinone to a quinone form, indicated by a downward arrow.

Figure 32





Figure 33

Figure 34






Figure 35

FIG. 36A






FIG. 36B



C A T G

A



B





Figure 37




Figure 38A




Figure 38B




Figure 39




FIG. 40

© 1995 Cambridge University Press




FIG. 41